

Installing Magellan 7 Software from the Internet

Visit <http://www.valparint.com> for **important information about Valpar** and for technical support.

**Tech
Support**

If you are replacing your current Magellan 7 computer and you can still access your current Magellan 7 computer, please do the following before installing Magellan 7 on the new computer:

- 1) Deauthorize Magellan 7 on the current computer.
- 2) To migrate your Magellan 7 data from the current computer to the new computer, open the Magellan 7 directory (normally c:\magroot\mageln70) and copy these files to a USB thumb drive:

Magellan.MDB


From an **ADMINISTRATOR LOGIN**, download the installation files from:

<http://www.sigj3.org/downloads/Mag7Internet.exe>

Run Mag7Internet.exe

This is a standard Windows setup program. It will create directory c:\magroot\setup and put all of the Magellan installation files in it.

Next, it will run the actual Magellan setup program which will present a series of dialog boxes.



Click the New Installation button to start the process.



Check the 'Stand Alone' button to install Magellan on a single computer.


If you are installing to a network please see the section below on Network Installation.

Click OK



This refers to the sound files for the survey instructions.

Make your selection and click OK



This is where the Magellan files will reside.

It is recommended that you use the default directory that is presented in the text box.

Click Next



This determines where shortcuts (icons) to Magellan programs will be placed.


It is recommended that you use the default choice.

Click OK



Ready to go.

Click Next



Various messages will be displayed during the installation.

You may see the 'Error' message one or more times during installation.

Always click the Ignore button.



Success!
Click Finish.

..... **IMPORTANT**

Users of the software must have 'modify' rights to the installation directory.


Microsoft Word is used to generate reports, so it must be installed on the computer and macros must be enabled.

..... **IMPORTANT**

These are beyond Valpar's control.
If there is a problem, please consult your computer guru.




When the installation is done it will return to the desktop.
You should see a new folder like the one shown.
If not, press the F5 key to refresh the desktop.
Double-click the folder to open it.




These are the Magellan shortcuts.

Before you can run the software it must be authorized.

Double-click the 'Authorize' shortcut.



Click the Magellan button.



Click the Web button and then enter your serial number and security code.

Click Authorize.

The program will contact Valpar's web site and transfer an authorization token to your computer.

<p>Web Based</p>  <p>http://www.sigi3.org/downloads/VWAupdate.pdf</p>	<p>The Authorization program will give either a message like the one to the left, indicating success, or a failure message.</p> <p>If the program simply quits with no message then you need to run the update described at URL below the image to the left and try the authorization again.</p>
<p>Once authorization is complete, double-click the Magellan shortcut to run the software.</p> <p>If you get the message to the right:</p> <p>Run the 'Update from Web' shortcut in the Magellan folder. This program may say you are up to date but in actuality you are <u>too</u> up to date. Insist on installing the older version.</p> <p>To access the latest update you will need to renew your SUSS - Software Update and Support Service.</p>	<p>Your Software Update Service expired prior to the date of this version of Magellan</p>
<p>If you saved data from your current Magellan 7 computer on a USB thumb drive now is the time to copy everything that was saved to the new Magellan 7 directory.</p>	
<p>Note that there is shortcut to the Magellan manual in the desktop folder.</p>	
<p>Visit http://www.valparint.com for important information about Valpar and for technical support.</p>	<p>Tech Support</p>

Network Installation

- 1) Install Magellan to the server by selecting Network under Installation Type.
- 2) For each work station that will run Magellan, do an Network Station install at the work station. The installation program will ask for the network path from step 1.
- 3) Authorize Magellan *from a work station*, as described above. You only need to do this once. The authorization resides on the server and is accessed by all of the work stations.
- 4) You purchased a fixed number of 'seats' with Magellan. At most, that many work stations can be logged into Magellan at any one time. When a user exits Magellan it frees up a seat for any other work station to use.